EVALUATION REPORT OF METALMAX ROOFING AND SIDING 'PBR PANEL'

F FLORIDA BUILDING CODE 7TH EDITION (2020) FLORIDA PRODUCT APPROVAL FL 41914.1 STRUCTURAL COMPONENTS ROOF DECK

Prepared For: MetalMax Roofing and Siding 900 Cpt Joe Fulghum Drive Murfreesboro, TN 37129 Telephone: (615) 494-1693

Prepared By: Bala Sockalingam, Ph.D., P.E. Florida Professional Engineer #62240 1216 N Lansing Ave., Suite C Tulsa, OK 74106 Telephone: (918) 492-5992 FAX: (866) 366-1543

This report consists of Evaluation Report (3 Pages including cover) Installation Details (1 Page) Load Span Table (1 Page)

> Report No. C2615-1 Date: 2.10.2023



FL 41914.1 C2615-1 2.10.2023 Page 2 of 3


	rage 2 of 5	
Manufacturer:	MetalMax Roofing and Siding	
Product Name:	PBR Panel	
Panel Description:	36" wide coverage with (4) 1-1/4" high ribs	
Materials:	Min. 26 ga., 80 ksi steel or min. 24 ga., 50 ksi steel. Galvanized coated steel (ASTM A653) or Galvalume coated steel (ASTM A792) or painted steel (ASTM A755). Corrosion resistant as per FBC 2020 Section 1507.4.3.	
Support Description:	Min. 16 ga., 50 ksi steel section. (Must be designed by others)	
Slope:	1/2:12 or greater in accordance with FBC 2020 Section 1507.4.2	
Design Uplift Pressure: (Factor of Safety = 2) (2 or more spans)	-44.2 psf at support spacing of 60 o.c. -119.2 psf at support spacing of 24 o.c.	
Design Inward Pressure:	The inward loads shown on the load span table were determined in accordance with FBC 2020 Section 1504.3.2 and 2210.1 and AISI S100-16. Secondary supports, frames and support connections must be designed to resist all loads.	
Panel Attachment: At panel ends At interior supports	#12-14 x 1-1/4" long self-drilling screws with washer. Fasteners are corrosion resistant as per FBC 2020 Section 1507.4.4. at 7"-5"-7" o.c. across panel width at 12" o.c. across panel width	
Sidelap Attachment:	$\frac{1}{4}$ "-14 x 7/8" long self-drilling screws with washer at 24" o.c. Fasteners are corrosion resistant as per FBC 2020 Section 1507.4.4.	
Test Standards:	Roof assembly tested in accordance with ASTM E1592-05 (2017) 'Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference' and FM 4470 Section 4.6 'Resistance to Foot Traffic'.	
Test Equivalency:	The test procedures in ASTM E1592-05(2017) comply with test procedures prescribed in ASTM E1592-05(2012).	
Code Compliance:	The product described herein has demonstrated compliance with FBC 2020 Section 1507.4	
Product Limitations:	Design wind loads shall be determined for each project in accordance with FBC 2020 Section 1609 or ASCE 7-16 using	

FL 41914.1 C2615-1 2.10.2023 Page 3 of 3

allowable stress design. The design pressure for support spacing may be computed using rational analysis prepared by a Florida Professional Engineer or based on MetalMax load span table. This evaluation report is not applicable in High Velocity Hurricane Zone. Fire classification is not within scope of this Evaluation Report. Refer to FBC 2020 Section 1505 and current approved roofing materials directory or ASTM E108/UL790 report from an accredited laboratory for fire ratings of this product.

Supporting Documents: ASTM E1592 Test Report ENCON Technology Inc. C2613-1, Reporting Date 2/9/2023

> FM 4470 Test Report ENCON Technology Inc. C2614-1, Reporting Date 2/8/2023



Support Spacing	Allowable Design Loads (psf)	
(in)	Live or Inward	Uplift
24	126.9	-119.2
27	112.8	-105.3
30	101.5	-94.2
33	92.3	-85.1
36	84.6	-77.5
39	78.1	-71.1
42	72.5	-65.6
45	67.7	-60.9
48	63.4	-56.7
51	59.7	-53.0
54	56.4	-49.8
57	53.4	-46.8
60	50.7	-44.2

METALMAX ROOFING AND SIDING'S PBR Roof Panel Allowable Design Loads

Notes:

- 1. Allowable load is the lowest value of panel strength, web crippling (live load), connection strength & deflection limit of L/180.
- 2. Allowable load is applicable to two or more spans conditions.
- 3. Panels must be installed as per Evaluation Report FL 41914.1 and MetalMax current installation procedure.
- 4. The structural capacity of support beams are not considered and must be examined independently.
- 5. Minimum support thickness is 16 ga.



1216 N Lansing Ave., Suite C Tulsa, Ok 74106 918 492 5992 Bala Sockalingam, Ph.D., P.E. FL 62240